

1208

**RICO
KNITTING
IDEA
COMPACT**

**Creative
Soft Wool
aran**



**Cardigan
Hat
Scarf**

Creative Soft Wool aran



383223.030 383223.031 383223.032

CARDIGAN / HAT / SCARF ★★ ★ / ★☆☆ / ★☆☆

MEASUREMENTS

| To Fit Bust | 81 – 86 cm 32 – 34 in | 91 – 97 cm 36 – 38 in | 102 – 107 cm 40 – 42 in | 112 – 117 cm 44 – 46 in | 122 – 127 cm 48 – 50 in |
|--------------------------------|--|--------------------------|----------------------------|----------------------------|----------------------------|
| Actual Measurement at underarm | 117 cm 46 in | 126 cm 49¾ in | 135 cm 53¼ in | 144 cm 56¾ in | 153 cm 60¼ in |
| Full Length | 58 cm 22¾ in | 60 cm 23¾ in | 64 cm 25¼ in | 67 cm 26½ in | 69 cm 27¼ in |
| Sleeve Length | 42cm 16½ in | 43 cm 17 in | 44 cm 17¼ in | 45 cm 17¾ in | 46 cm 18 in |
| Hat | 51 cm, 20 in, circumference around head 20 cm, 8 in, long (with brim turned back) | | | | |
| Scarf | 23 cm, 9 in, wide x 150 cm, 59 in, long | | | | |

MATERIALS

| | | | | | | |
|-------------------------|---|---|---|---|---|------------|
| Cardigan | | | | | | |
| Rico Creative | | | | | | |
| Soft Wool aran | | | | | | |
| Shade 032 (mocha) | 4 | 5 | 5 | 6 | 6 | 100g balls |
| Hat | | | | | | |
| Rico Creative | | | | | | |
| Soft Wool aran | | | | | | |
| Shade 030 (rose quartz) | 1 | | | | | 100g balls |
| Scarf | | | | | | |
| Rico Creative | | | | | | |
| Soft Wool aran | | | | | | |
| Shade 031 (plum) | 2 | | | | | 100g balls |

It is essential to work to the stated tension to achieve the correct size of garment.

ABBREVIATIONS

| | | | |
|-------------|---------------|--------------|-----------------------|
| beg | beginning | patt | pattern |
| cm | centimetre(s) | pm | place marker |
| cont | continue | rem | remaining |
| dec | decrease(ing) | rep | repeat |
| fol | following | rs | right side |
| g | grammes | sm | slip marker |
| in | inch(es) | st(s) | stitch(es) |
| inc | increase(ing) | tbl | through back of loops |
| k | knit | tog | together |
| m | marker | ws | wrong side |
| mm | millimetre(s) | yfwd | yarn forward |
| p | purl | | |

SPECIAL ABBREVIATIONS

| | |
|------------|--|
| M1 | make a st: pick up the horizontal strand lying between the sts and k into the back of it, twisting it. |
| C4F | slip next 2 sts onto cable needle and hold at front of work, k2 then k2 from cable needle. |
| C4B | slip next 2 sts onto cable needle and hold at back of work, k2 then k2 from cable needle. |
| T4F | slip next 2 sts onto cable needle and hold at front of work, p2 then k2 from cable needle. |
| T4B | slip next 2 sts onto cable needle and hold at back of work, k2 then p2 from cable needle. |

Level of difficulty

| | | |
|-----|---|--------------|
| ★☆☆ | = | easy |
| ★★☆ | = | intermediate |
| ★★★ | = | advanced |



| | |
|---|------------------------|
| = | suitable for beginners |
|---|------------------------|

TENSION

18 sts and 26 rows to 10 cm, 4 in, over Irish moss stitch on 5mm needles or the size required to give the correct tension. Cable panel of 28 sts measures 10.75 cm, 4¼ in, wide.

Check your tension – if less stitches use thinner needles, if more use thicker needles.

NEEDLES

1 pair of 4 mm (UK 8 – USA 6) knitting needles.
1 pair of 5 mm (UK 6 – USA 8) knitting needles.
Cable needle.
Stitch markers.
For Cardigan: 4 buttons. For Hat: 9 cm, 3½ in, pompom maker.

NOTES

The yarn amounts stated are based on average requirements and are therefore approximate. Where only one figure is given this applies to all sizes. Where the figure 0 appears, no sts, times or rows are worked for this size.

IMPORTANT - To ensure accuracy only RICO YARNS should be used. No responsibility will be taken for the result of using any other yarns.

Circle the size you wish to make.

CARDIGAN

LEFT FRONT

Using 4 mm needles, cast on 71[79:87:91:99] sts.

Row 1 (rs): *K2, p2; rep from * to last 3 sts, k3.

Row 2: P3, *k2, p2; rep from * to end.

These 2 rows form left front k2, p2 rib.

Cont in rib until work measures 8 cm, 3 in, ending with a rs row.

For 1st size only

Dec row (ws): (Rib 1 st, rib2tog) 7 times, rib 31 sts, rib2tog, (rib 1 st, rib2tog) 5 times, rib 2 sts. 58 sts.

For 2nd and 4th sizes only

Dec row (ws): Rib2tog, (rib 1 st, rib2tog) [8:10] times, rib 29 sts, (rib2tog, rib 1 st) [8:10] times. [62:70] sts.

For 3rd and 5th sizes only

Dec row (ws): Rib [1:2] sts, (rib2tog, rib2tog, rib 1 st) [5:6] times, rib2tog, rib 30 sts, rib2tog, (rib 1 st, rib2tog) [9:11] times. [66:74] sts.

For all sizes

Change to 5 mm needles.

****Row 1 (rs):** P1, (k1, p1) 7[8:9:10:11] times, pm on needle, p2, k2, p8, C4B, p8, k2, p2, pm on needle, p1, (k1, p1) 7[8:9:10:11] times.

Row 2: K1, *p1, k1; rep from * to m, sm, k2, p2, k8, p4, k8, p2, k2, sm, k1, *p1, k1; rep from * to end.

Row 3: K1, *p1, k1; rep from * to m, sm, p2, (T4F, p4, T4B) twice, p2, sm, k1, *p1, k1; rep from * to end.

Row 4: P1, *k1, p1; rep from * to m, sm, k4, (p2, k4) 4 times, sm, p1, *k1, p1; rep from * to end.

These 4 rows set the cable panel between markers and form Irish moss-st at each side.

Keeping Irish moss-st correct, complete the cable panel as follows:

Row 5: Patt to m, sm, p4, (T4F, T4B, p4) twice, sm, patt to end.

Row 6: Patt to m, sm, k6, p4, k8, p4, k6, sm, patt to m, sm, patt to end.

Row 7: Patt to m, sm, p6, C4B, p8, C4F, p6, sm, patt to end.

Row 8: Patt to m, sm, k6, p4, k8, p4, k6, sm, patt to end.

Row 9: Patt to m, sm, p4, (T4B, T4F, p4) twice, sm, patt to end.

Row 10: Patt to m, sm, k2, p2, k8, p4, k8, p2, k2, sm, patt to end.

Row 11: Patt to m, sm, p2, (T4B, p4, T4F) twice, p2, sm, patt to end.

Row 12: Patt to m, sm, k2, p2, k8, p4, k8, p2, k2, sm, patt to end.

These 12 rows form the cable panel.

Cont in patt until left front measures 32[32:34:36:37] cm, 12½[12½:13½:14:14½] in, ending with a ws row. **

Place a marker in front edge (beg) of last row.

Shape V neck

Keeping patt correct, dec 1 st at end (front edge) of next row and every foll 4th row to 53[57:64:63:68] sts, ending with a rs row.

Dec 1 st at end (front edge) of every foll 6th row to 47[50:54:56:60] sts, ending with a rs row.

Work 5 rows in patt without shaping, ending with a ws row.

Shape shoulder

Keeping cable panel correct as far as possible.

Next row (rs): Cast off 10[11:12:12:13] sts, patt to end. 37[39:42:44:47] sts.

Work 1 row in patt.

Next row: Cast off 11[12:13:14:15] sts, patt to end. 26[27:29:30:32] sts.

Work 1 row in patt.

Next row: Cast off 15[15:16:16:17] sts, patt to end. 11[12:13:14:15] sts.

Work 1 row in patt.

Cast off.

BACK

Using 4 mm needles, cast on 150[166:178:190:202] sts.

Row 1 (rs): K2, *p2, k2; rep from * to end.

Row 2: P2, *k2, p2; rep from * to end.

These 2 rows form k2, p2 rib.

Cont in rib until work measures 8 cm, 3 in, ending with a rs row.

For 1st size only

Dec row (ws): Rib 2 sts, rib2tog, (rib 1 st, rib2tog) 5 times, rib 34 sts, rib2tog, (rib 1 st, rib2tog) 14 times, rib 34 sts, rib2tog, (rib 1 st, rib2tog) 5 times, rib 2 sts. 123 sts.

For 2nd, 3rd, 4th and 5th sizes only

Dec row (ws): (Rib 1 st, rib2tog) [8:9:10:11] times, rib 31 sts, rib2tog, (rib 1 st, rib2tog) [18:20:22:24] times, rib 31 sts, (rib2tog, rib 1 st) [8:9:10:11] times. [131:139:147:155] sts.

For all sizes

Change to 5 mm needles.

Row 1 (rs): P1, (k1, p1) 7[8:9:10:11] times, pm on needle, p2, k2, p8, C4B, p8, k2, p2, pm on needle, p1, (k1, p1) 18[20:22:24:26] times, pm on needle, p2, k2, p8, C4B, p8, k2, p2, pm on needle, p1, (k1, p1) 7[8:9:10:11] times.

Row 2: P2, *k2, p2; rep from * to end.

These 2 rows form k2, p2 rib.

Cont in rib until work measures 8 cm, 3 in, ending with a rs row.

For 1st size only

Dec row (ws): (Rib 1 st, rib2tog) 7 times, rib 31 sts, rib2tog, (rib 1 st, rib2tog) 5 times, rib 2 sts. 58 sts.

For 2nd and 4th sizes only

Dec row (ws): Rib2tog, (rib 1 st, rib2tog) [8:10] times, rib 29 sts, (rib2tog, rib 1 st) [8:10] times. [62:70] sts.

For 3rd and 5th sizes only

Dec row (ws): Rib [1:2] sts, (rib2tog, rib2tog, rib 1 st) [5:6] times, rib2tog, rib 30 sts, rib2tog, (rib 1 st, rib2tog) [9:11] times. [66:74] sts.

For all sizes

Change to 5 mm needles.

****Row 1 (rs):** P1, (k1, p1) 7[8:9:10:11] times, pm on needle, p2, k2, p8, C4B, p8, k2, p2, pm on needle, p1, (k1, p1) 18[20:22:24:26] times, pm on needle, p2, k2, p8, C4B, p8, k2, p2, pm on needle, p1, (k1, p1) 7[8:9:10:11] times.

Row 2: K1, *p1, k1; rep from * to m, sm, k2, p2, k8, p4, k8, p2, k2, sm, k1, *p1, k1; rep from * to end.

Row 3: K1, *p1, k1; rep from * to m, sm, p2, (T4F, p4, T4B) twice, p2, sm, k1, *p1, k1; rep from * to end.

Row 4: P1, *k1, p1; rep from * to m, sm, k4, (p2, k4) 4 times, sm, p1, *k1, p1; rep from * to end.

These 4 rows set the two cable panels between markers and form Irish moss-st between the cables and at each side.

Keeping Irish moss-st correct, complete the cable panels as follows:

Row 5: Patt to m, sm, p4, (T4F, T4B, p4) twice, sm, patt to m, sm, p4, (T4F, T4B, p4) twice, sm, patt to end.

Row 6: Patt to m, sm, k6, p4, k8, p4, k6, sm, patt to m, sm, k6, p4, k8, p4, k6, sm, patt to end.

Row 7: Patt to m, sm, p6, C4B, k8, C4F, p6, sm, patt to m, sm, p6, C4B, k8, C4F, p6, sm, patt to end.

Row 8: Patt to m, sm, k6, p4, k8, p4, k6, sm, patt to m, sm, k6, p4, k8, p4, k6, sm, patt to end.

Row 9: Patt to m, sm, p4, (T4B, T4F, p4) twice, sm, patt to m, sm, p4, (T4B, T4F, p4) twice, sm, patt to end.

Row 10: Patt to m, sm, k4, (p2, k4) 4 times, sm, patt to m, sm, k4, (p2, k4) 4 times, sm, patt to end.

Row 11: Patt to m, sm, p2, (T4B, p4, T4F) twice, p2, sm, patt to m, sm, p2, (T4B, p4, T4F) twice, p2, sm, patt to end.

Row 12: Patt to m, sm, k2, p2, k8, p4, k8, p2, k2, sm, patt to m, sm, k2, p2, k8, p4, k8, p2, k2, sm, patt to end.

These 12 rows form the two cable panels.

Cont in patt until back measures same as Left Front to shape shoulder, ending with a ws row.

Shape shoulders and back neck

Keeping cable panel correct as far as possible, cast off 10[11:12:12:13] sts at beg of next 2 rows. 103[109:115:123:129] sts.

Next row (rs): Cast off 11[12:13:14:15] sts, patt 27[28:30:31:33] sts (including last st used for casting off) and turn, leaving rem 65[69:72:78:81] sts on a spare needle.

Next row: Cast off 15[15:16:16:17] sts, patt to end. 11[12:13:14:15] sts.

Work 1 row in patt.

Cast off.

Work 1 row in patt.

Cast off.

RIGHT FRONT

Using 4 mm needles, cast on 71[79:87:91:99] sts.

Row 1 (rs): K3, *p2, k2; rep from * to end.

Row 2: *P2, k2; rep from * to last 3 sts, p3.

These 2 rows form right front k2, p2 rib.

Cont in rib until work measures 8 cm, 3 in, ending with a rs row.

For 1st size only

Dec row (ws): (Rib 1 st, rib2tog) 7 times, rib 31 sts, rib2tog, (rib 1 st, rib2tog) 5 times, rib 2 sts. 58 sts.

For 2nd and 4th sizes only

Dec row (ws): Rib2tog, (rib 1 st, rib2tog) [8:10] times, rib 29 sts, (rib2tog, rib 1 st) [8:10] times. [62:70] sts.

For 3rd and 5th sizes only

Dec row (ws): Rib [1:2] sts, (rib2tog, rib2tog, rib 1 st) [5:6] times, rib2tog, rib 30 sts, rib2tog, (rib 1 st, rib2tog) [9:11] times. [66:74] sts.

For all sizes

Change to 5 mm needles.

****Row 1 (rs):** P1, (k1, p1) 7[8:9:10:11] times, pm on needle, p2, k2, p8, C4B, p8, k2, p2, pm on needle, p1, (k1, p1) 7[8:9:10:11] times.

Row 2: K1, *p1, k1; rep from * to m, sm, k2, p2, k8, p4, k8, p2, k2, sm, k1, *p1, k1; rep from * to end.

Row 3: K1, *p1, k1; rep from * to m, sm, p2, (T4F, p4, T4B) twice, p2, sm, k1, *p1, k1; rep from * to end.

Row 4: P1, *k1, p1; rep from * to m, sm, k4, (p2, k4) 4 times, sm, p1, *k1, p1; rep from * to end.

These 4 rows set the two cable panels between markers and form Irish moss-st between the cables and at each side.

Keeping Irish moss-st correct, complete the cable panels as follows:

Row 5: Patt to m, sm, p4, (T4F, T4B, p4) twice, sm, patt to m, sm, p4, (T4F, T4B, p4) twice, sm, patt to end.

Row 6: Patt to m, sm, k6, p4, k8, p4, k6, sm, patt to m, sm, k6, p4, k8, p4, k6, sm, patt to end.

Row 7: Patt to m, sm, p6, C4B, k8, C4F, p6, sm, patt to m, sm, p6, C4B, k8, C4F, p6, sm, patt to end.

Row 8: Patt to m, sm, k6, p4, k8, p4, k6, sm, patt to m, sm, k6, p4, k8, p4, k6, sm, patt to end.

Row 9: Patt to m, sm, p4, (T4B, T4F, p4) twice, sm, patt to m, sm, p4, (T4B, T4F, p4) twice, sm, patt to end.

Row 10: Patt to m, sm, k4, (p2, k4) 4 times, sm, patt to m, sm, k4, (p2, k4) 4 times, sm, patt to end.

Row 11: Patt to m, sm, p2, (T4B, p4, T4F) twice, p2, sm, patt to m, sm, p2, (T4B, p4, T4F) twice, p2, sm, patt to end.

Row 12: Patt to m, sm, k2, p2, k8, p4, k8, p2, k2, sm, patt to m, sm, k2, p2, k8, p4, k8, p2, k2, sm, patt to end.

These 12 rows form the two cable panels.

Cont in patt until back measures same as Left Front to shape shoulder, ending with a ws row.

Shape shoulders and back neck

For 3rd, 4th and 5th sizes only

Inc row (ws): Rib [3:5:3] sts, M1, (rib 1 st, M1, rib 2 sts, M1) [15:15:16] times, rib [2:4:3] sts. [81:85:87] sts.

For all sizes

Place a marker at end of last row.

Change to 5 mm needles.

Row 1 (rs): P1, *k1, p1; rep from * to end.

Row 2: K1, *p1, k1; rep from * to end.

Row 3: K1, *p1, k1; rep from * to end.

Row 4: P1, *k1, p1; rep from * to end.

These 4 rows form Irish moss-st.

Cont in patt until sleeve measures 35[36:37:38:39] cm, 13¾[14:14½:15:15½] in, from marker, ending with a ws row.

Shape top

Keeping patt correct, cast off 2[4:3:4:4] sts at beg of next 4[14:4:4:4] rows.

59[19:69:69:71] sts.

For 1st, 3rd, 4th and 5th sizes only

Cast off 4[5:5:5] sts at beg of next 10 rows.

19[19:19:21] sts.

For all sizes

Cast off in patt.

TO MAKE UP

Join shoulder seams, matching cable panels. Place a marker in centre of back neck cast-off sts.

Right front band

Using 4 mm needles, cast on 13 sts.

Row 1 (rs): K2, p1, (k1, p1) 5 times.

Row 2: (K1, p1) 6 times, k1.

These 2 rows form k1, p1 rib.

Work 4 rows more in rib, ending with a ws row.

Buttonhole row (rs): K2, (p1, k1) twice, yfwd, k2tog, rib to end.

**Work 27[27:29:31:33] rows in rib, ending with a ws row.

Buttonhole row (rs): K2, (p1, k1) twice, yfwd, k2tog, rib to end. **

Rep from ** to ** 2 times more. (4 buttonholes made.)

Work 5 rows more in rib, ending with a ws row. Place a marker at beg of last row.

Cont in rib until band fits up front edge from marker in front edge to shoulder seam and around back neck to centre marker, ending with a rs row.

Cast off in rib.

Left front band

Using 4 mm needles, cast on 13 sts.

Row 1 (rs): P1, (k1, p1) 5 times, k2.

Row 2: (K1, p1) 6 times, k1.

These 2 rows form k1, p1 rib.

Work 96[96:102:108:114] rows in rib, ending with a ws row. Place a marker at end of last row.

Cont in rib until band fits up front edge from marker in front edge to shoulder seam and around back neck to centre marker, ending with a rs row.

Cast off in rib.

Sew front bands in place, matching markers at front edge. Join bands at back neck. To indicate armholes, place markers 21[23:25:26:27] cm, 8¼[9:9¾:10¼:10¾] in, down from shoulder seams on back and front side edges. Place a marker in the centre of each sleeve top. Sew sleeves into armholes between markers, matching centre marker to shoulder seam. Join side seams. Join sleeve seams, reversing seam for first 7 cm, 2¾ in, of cuff so seam is hidden when cuff is turned back. Sew on buttons to match buttonholes. Pin out cardigan to measurements given.

Cover with a clean damp tea towel and leave to dry. See ball band for washing and further care instructions.

HAT

Using 4 mm needles, cast on 126 sts.

Row 1: K2, *p2, k2; rep from * to end.

Row 2: P2, *k2, p2; rep from * to end.

These 2 rows form k2, p2 rib.

Cont in rib until work measures 14 cm, 5½ in, ending with row 2 of rib.

Dec row (ws): (Rib 2 sts, rib2tog) 12 times, rib 30 sts, (rib2tog, rib 2 sts) 12 times. 102 sts.

Change to 5 mm needles.

Row 1 (rs): P1, (k1, p1) 18 times, pm on needle, p2, k2, p8, C4B, p8, k2, p2, pm on needle, p1,

(k1, p1) 18 times.

Row 2: K1, *p1, k1; rep from * to m, sm, k2, p2, k8, p4,

k8, p2, k2, sm, k1, *p1, k1; rep from * to end.

Row 3: K1, *p1, k1; rep from * to m, sm, p2, (T4F, p4,

T4B) twice, p2, sm, k1, *p1, k1; rep from * to end.

Row 4: P1, *k1, p1; rep from * to m, sm, k4,

(p2, k4) 4 times, sm, p1, *k1, p1; rep from * to end.

These 4 rows set the cable panel between markers

and form Irish moss-st at each side.

Rep the 4 row patt of Irish moss-st and complete the

cable panel as follows:

Row 5: Patt to m, sm, p4, (T4F, T4B, p4) twice, sm,

patt to end.

Row 6: Patt to m, sm, k6, p4, k8, p4, k6, sm, patt to

end.

Row 7: Patt to m, sm, p6, C4B, p8, C4F, p6, sm, patt

to end.

Row 8: Patt to m, sm, k6, p4, k8, p4, k6, sm, patt to

end.

Row 9: Patt to m, sm, p4, (T4B, T4F, p4) twice, sm,

patt to end.

Row 10: Patt to m, sm, k4, (p2, k4) 4 times, sm, patt

to end.

Row 11: Patt to m, sm, p2, (T4B, p4, T4F) twice, p2,

sm, patt to end.

Row 12: Patt to m, sm, k2, p2, k8, p4, k8, p2, k2, sm,

patt to end.

Rep rows 1 to 6 once again.

Shape crown

Dec row (rs): (Patt 9 sts, patt3tog) 3 times, k1, sm, work row 7 of cable, sm, (patt 9 sts, patt3tog) 3 times,

p1. 90 sts.

Next row: As row 8.

Next row: As row 9.

Next row: As row 10.

Next row: As row 11.

Next row: As row 12.

Dec row (rs): (Patt 7 sts, patt3tog) 3 times, p1, sm, work row 1 of cable, sm, (patt 7 sts, patt3tog) 3 times,

p1. 78 sts.

Next row: As row 2.

Next row: As row 3.

Next row: As row 4.

Next row: As row 5.

Next row: As row 6.

Dec row (rs): (Patt 5 sts, patt3tog) 3 times, k1, sm, p1,

(p2tog) twice, p1, C4B, p1, (p2tog) 3 times, p1, C4F,

p1, (p2tog) twice, p1, sm, (patt 5 sts, patt3tog) 3 times,

k1. 59 sts.

Next row: Patt to m, sm, k4, p4, k5, p4, k4, sm, patt

to end.

Dec row (rs): (Patt 3 sts, patt3tog) 3 times, p1, sm,

(p2tog) twice, k4, p2tog, p1, p2tog, k4, (p2tog) twice, sm, (patt 3 sts, patt3tog) 3 times, p1. 41 sts.

Next row: Patt to m, sm, k2, p4, k3, p4, k2, sm, patt to end.

Dec row (rs): (Patt 1 st, patt3tog) 3 times, k1, sm, p2, (k2tog) twice, p3, (k2tog) twice, p2, sm, (patt 1 st, patt3tog) 3 times, k1. 25 sts.

Cut yarn, thread yarn end through rem 25 sts. Pull tight to gather and sew in yarn end securely.

TO MAKE UP

Join seam, reversing seam for first 7 cm, 2¾ in, of brim rib so seam is hidden when brim is turned back. Make a 9 cm, 3½ in, pompom and sew securely to top of hat.

SCARF

Using 4 mm needles, cast on 62 sts.

Row 1 (rs): K2, *p2, k2; rep from * to end.

Row 2: P2, *k2, p2; rep from * to end.

These 2 rows form k2, p2 rib.

Cont in rib until work measures 8 cm, 3 in, ending with a rs row.

Dec row (ws): Rib 3 sts, rib2tog, (rib 1 st, rib2tog) 18 times, rib 3 sts. 43 sts.

Change to 5 mm needles.

Row 1 (rs): P1, *k1, p1; rep from * to end.

Row 2: K1, *p1, k1; rep from * to end.

Row 3: K1, *p1, k1; rep from * to end.

Row 4: P1, *k1, p1; rep from * to end.

These 4 rows form Irish moss-st.

Cont in patt until scarf measures 142 cm, 56 in, ending with a rs row.

Inc row (ws): Patt 4 sts, M1, (patt 2 sts, M1) 18 times, patt 3 sts. 62 sts.

Change to 4 mm needles.

Starting with row 1, work 8 cm, 3 in, in k2, p2 rib,

ending with a rs row.

Cast off in rib (on ws).

TO MAKE UP

Pin out scarf to measurements given. Cover with a clean damp tea towel and leave to dry. See ball band for washing and further care instructions.

Correction notes

If we later discover errors in our instructions, you will find the correction notes here:
www.rico-design.de/en/corrections/

